	<u></u>					Time	Commen	Error	Er
	Туре	L #	Hits	Search Text	DBs	Stamp	ts	Definition	ro
1	IS&R	L1	1435 61	(382/128,129,130,1 31,132,133,134 or (600/\$) or (378/\$) or (128/\$) or (250/\$)).CCLS.	USPA T	2003/06 /17 18:17			0
2	BRS	L3	687	1 and beamformer	USPA T	2003/06 /17 18:18			0
3	BRS	L4	655	3 and ultrasound\$4	USPA T	2003/06 /17 18:18			0
4	BRS	L5	512	4 and memor\$6	USPA T	2003/06 /17 18:18			0
5	BRS	L6	478	5 and ( CPU or pc or computer or processor)	USPA T	2003/06 /17 18:19			0
6	BRS	L7	465	6 and scan\$4	USPA T	2003/06 /17 18:19			0
7	BRS	L8	90	7 and print\$4	USPA T	2003/06 /17 18:19			0
8	BRS	L9	23	8 and ( filter\$5 near4 detect\$6)	USPA T	2003/06 /17 18:30			0
9	BRS	L10	1	9 and report\$4	USPA T	/			0
10	BRS	L11	1	10 and port\$4	USPA T	2003/06 /17 18:29			0
11	BRS	L12	23	9 and port\$4	USPA T	2003/06 /17 18:24			0
12	BRS	L13	20	12 and interface	USPA T	/17 18:24			0
13	BRS	L14	17	13 and identif\$5	USPA T	2003/06 /17 18:24			0
14	BRS	L16	7	14 and join\$5	USPA T	/1/ 18:29			0
15	BRS	L17	6	16 and send\$4	USPA T	2003/06 /17 18:32			0
16	BRS	L15	1	II and identific !	USPA T	2003/06 /17 18:29			0

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Er ro rs
1	BRS	L7	1547	(scan\$4 or scanner) and parallel and serial and (imag\$4 near frame)	USPA T	722 14:11			0
2	BRS	L8	1255	7 and ( associat\$4 or join\$4)	USPA T	2004/01 /22 14:04			0
3	BRS	L10	682	8 and identify\$4	USPA T	2004/01 /22 14:07			0
4	BRS	L11	23	10 and (first adj format)	USPA T	2004/01 /22 14:06			0
5	BRS	L12	2	11 and (second adj format)	USPA T	2004/01 /22 14:06			0
6	BRS	L13	116	study adj identify\$4	USPA T	2004/01 /22 14:07			0
7	BRS	L14	0	<pre>((send) near4 (study adj identify\$4))</pre>	USPA T	2004/01 /22 14:13			0
8	BRS	L15	0	((send\$6) near4 (study adj identify\$4))	USPA T	2004/01 /22 14:08			0
9	BRS	L16	88	((send\$4) near4 (imag\$4 near frame))	USPA T	2004/01 /22 14:20			0
10	BRS	L17	297	((send\$4) near4 (imag\$4 near4 frame))	USPA T	2004/01 /22 14:09			0
11	BRS	L18	5	17 and ( <sup>*</sup> parallel near3 port)	USPA T	2004/01 /22 14:10			0
12	BRS	L19	1	18 and (serial\$4 near3 port)	USPA T	2004/01 /22 14:10			0
13	BRS	L20	1	19 and send\$6	USPA T	2004/01 /22 14:10			0
14	BRS	L21	3130 17	20(scan\$4 or scanner)	USPA T	2004/01 /22 14:20			0
15	BRS	L22	1	20 and (scan\$4 or scanner) and parallel and serial and (imag\$4 near frame)	USPA T	2004/01 /22 14:14			0

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Er ro
16	BRS	L23	1712	study\$4 near4 identif\$4	USPA T	2004/01 /22 14:18			0
17	BRS	L24	1	23 and (scan\$4 or scanner) and parallel and serial and (imag\$4 near frame)	USPA T	2004/01 /22 14:14			0
18	BRS	L25	0	(study\$4 near4 identif\$4) same (parallel near3 port)	USPA T	2004/01 /22 14:19			0
19	BRS	L26	0	(study\$4 near4 identif\$4) with (parallel near3 port)	USPA T	2004/01 /22 14:20			0
20	BRS	L27	1712	study\$4 near4 identif\$4	USPA T	2004/01 /22 14:25			0
21	BRS	L28	7	27 and (parallel near3 port)	USPA T	2004/01 /22 14:20			0
22	BRS	L29	5	28 and (scan\$4 or scanner)	USPA T	2004/01 /22 14:28			0
23	BRS	L30	0	29 and ((imag\$4 near frame))	USPA T	2004/01 /22 14:21			0
24	BRS	L31	0	29 and ((imag\$4 near3 frame))	USPA T	2004/01 /22 14:21			0
25	BRS	L32	2	29 and send\$4	USPA T	2004/01 /22 14:21			0
26	BRS	L33	0	((send\$4 near3 imag\$4) near4 (paralel near3 port))	USPA T	2004/01 /22 14:26			0
27	BRS	L34	0	((send\$4 near3 imag\$4) near4 (parallel near3 port))	USPA T	2004/01 /22 14:27			0
28	BRS	L35	0	((send\$4 near3 report) near4 (serial near3 port))	USPA T	2004/01 /22 14:27			0
29	BRS	L36	1273	((send\$4 near3 report))	USPA T	2004/01 /22 14:32			0

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Er ro
30	BRS	L37	34	36 and (parallel near3 port)	USPA T	2004/01 /22 14:32			0
31	BRS	L38	1	37 and ( identif\$4 near4 imag\$4)	USPA T	14:30			0
32	BRS	L39	1	38 and (scan\$4 or scanner)	USPA T	14:32			0
33	BRS	L40	27	37 and (scan\$4 or scanner)	USPA T	14:30			0
34	BRS	L41	1	37 and ( identif\$4 near4 imag\$4)	USPA T	14:32			0
35	BRS	L42	32	37 and ( identif\$4)	USPA T	14:30		·	0
36	BRS	L43	18	42 and ( imag\$4)	USPA T	2004/01 /22 14:30			0
37	BRS	L44	2	((send\$4 near3 imag))	USPA T	2004/01 /22 14:32			0
38	BRS	L45	7392	((send\$4 near3 imag\$5))	USPA T	2004/01 /22 15:05			0
39	BRS	L46	: / < 🔼	45 and (parallel neär3 port)	USPA T	2004/01 /22 15:05			0
40	BRS	L47	164	46 and (scan\$4 or scanner)	USPA T	2004/01 /22 15:06			0
41	BRS	L48	77	47 and ( identif\$4 near4 imag\$4)	USPA T	15:06			0
42	BRS	L49		48 and (remot\$4 near4 device)	USPA T	722 15:06			0
43	BRS	L50		49 and ( associat\$4 or join\$4)	USPA T	/22 14:40			0
44	BRS	L51	1937	((send\$4 near3 report\$5))	USPA T	2004/01 /22 14:39			0
45	BRS	L52	1 / 🛭	51 and (serial near3 port)	USPA T	2004/01 /22 14:39			0
46	BRS	L53	9)	52 and (scan\$4 or scanner)	USPA T	2004/01 /22 14:42			0

	_		1						
	Туре	L #	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Er ro
47	BRS	L55	2	54 and (remot\$4 near4 device)	USPA T	2004/01 /22 14:42			0
48	BRS	L56	2	55 and ( associat\$4 or join\$4)	USPA T	2004/01 /22 14:40			0
49	BRS	L54	8	53 and ( identif\$4 near4 imag\$4)	USPA T	2004/01 /22 14:42			0
50	BRS	L57	17	53 and ( identif\$4 near4 report\$4)	USPA T	2004/01 /22 14:42			0
51	BRS	L58	17	57 and (scan\$4 or scanner)	USPA T	2004/01 /22 14:42			0
52	BRS	L59		58 and (remot\$4 near4 device)	USPA T	15:14			0
53	IS&R	L60	6384 4	(382/128).CCLS. or (("600") or ("128")).CLAS.	USPA T	15:04			0
54	BRS	L61	285	60 and ((send\$4 near3 imag\$5))	USPA T	15:13			0
55	BRS	L62	4	61 and (parallel near3 port)	USPA T	15:23		·	0
56	BRS	L64	0	63 and (identif\$4 near4 imag\$4)	USPA T	2004701 /22 15:09			0
57	BRS	L66	0	65 and (remot\$4 near4 device)	USPA T	2004/01 /22 15:06			0
58	BRS	L67	0	65 and (remot\$4 )	USPA T	/22 15:06			0
59	BŔŚ	L65	1	63 and ( identif\$4)	USPĀ T	15:06			0
60	BRS	L68	68	61 and ( identif\$4 near4 imag\$4)	USPA T	15:14			0
61	BRS	L69	0	near3 port)	USPA T	15:09			0
62	BRS	L70	569	( identifier) and ( parallel near4 port) and scanner	USPA T	2004/01 /22 15:13			0
63	BRS	L71	62	70 and ((send\$4 near3 imag\$5))	USPA T	2004/01 /22 15:23			0

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Commen ts	Error Definition	Er ro rs
64	BRS	L73	3	72 and (remot\$4 near4 device)	USPA T	2004/01 /22 15:17			0
65	BRS	L74	52	72 and ((remot\$4) near4 ( apparatus or system or device))	USPA T	2004/01 /22 15:18			0
66	BRS	L72	56	71 and ( identif\$4 near4 imag\$4)	USPA T	2004/01 /22 15:20			0
67	BRS	L75	1	71 and ((associat\$4) near3 (identif\$4 near4 imag\$4))	USPA T	2004/01 /22 15:22			0
68	BRS	Ĺ76	680	((associat\$4) near3 (identif\$4 near4 imag\$4))	USPA T	2004/01 /22 15:22			0
69	BRS	L <b>7</b> 7	39	76 and (parallel near3 port)	USPA T	2004/01 /22 15:23			0
70	BRS	L78	36	77 and (scan\$4 or scanner)	USPA T	2004/01 /22 15:23		A	0
71	BRS	L79	5	78 and ((send\$4 near3 imag\$5))	USPA T	2004/01 /22 15:35			0
72	BRS	L63	3	62 and (scan\$4 or scanner)	USPA T	2004/01 /22 15:36			0
73	BRS	L80	0	((send\$4 near3 imag\$5)) near4 (parallel adj port)	USPA T	2004/01 /22 15:36			0
74	BRS	L82	1	81 and (scan\$4 or scanner)	USPA T	2004/01 /22 15:36			0
75	BRS	L81	9	((send\$4 near3 imag\$5)) same (parallel adj port)	USPA T	2004/01 /22 15:37			0
76	BRS	L83		((send\$4 near3 imag\$5)) with (parallel adj port)	USPA T	2004/01 /22 15:39			0
77	BRS	L84	U	60 and ((send\$4 near3 imag\$5)) with (parallel adj port)	USPA T	2004/01 /22 15:39			0

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Commen	Error Definition	Er ro rs
17	BRS	L18	0	15 and 17	USPA T	2003/06 /17 18:26			0
18	BRS	L19	1	scan\$4 and (report adj data) and computer and memory and interface and ultrasound and beamformer	USPA T	2003/06 /17 18:30			0
19	BRS	L20	0	19 and identif\$5	USPA T	2003/06 /17 18:32			0
20	BRS	L21	1	19 and send\$4	US PA T	2003/06 /17 18:29			0
21	BRS	L22	1	21 and join\$5	USPA T	2003/06 /17 18:29			0
22	BRS	L23	1	22 and port\$4	USPA T	2003/06 /17 18:33			0
23	BRS	L24	0	23 and (filter\$5 near4 detect\$6)	USPA T	2003/06 /17 18:32			0
24	BRS	L25	0	23 and (filter\$5)	USPA T	2003/06 /17 18:30			0
25	BRS	L26	361	scan\$4 and (report adj data) and computer and memory and interface		2003/06 /17 18:31			0
26	BRS	L27	360	26 and stor\$4	USPA T	2003/06 /17 18:31			0
27	BRS	L28	1	27 and beamformer\$4	USPA T	2003/06 /17 18:31			0
28	BRS	L29	235	27 and parallel\$4	USPA T	2003/06 /17 18:32	,		0
29	BRS	L30	224	29 and identif\$5	USPA T	2003/06 /17 18:32			0
30	BRS	L31	201	30 and send\$4	USPA T	2003/06 /17 18:32			0
31	BRS	L32		31 and ( filter\$5 near4 detect\$6)	USPA T	2003/06 /17 18:33			0

.

ر

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Commen	Error Definition	Er ro rs
32	BRS	L33	18	32 and port\$4	USPA T	2003/06 /17 18:33			0
33	BRS	L34	178	DICOM	T	/1/ 18:33			0
34	BRS	L35	12	34 AND ASCII	USPA T	2003/06 /17 18:34			0
35	BRS	L36	3	35 and ethernet	USPA T	2003/06 /17 18:34			0
36	BRS	L37	2	36 and RS232	USPA T	2003/06 /17 18:35			0



IEEE HOME I SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership F	ublications/Services Standards Conferences Careers/Jobs	
	Welcome United States Patent and Trademark Office	
<u>Help FAQ</u> IEEE Peer R	Terms Quick Links ▼ Search Results	
Welcome to IEEE X  O Home O What Can I Access? C Log-out	Your search matched <b>2</b> of <b>945745</b> documents.  A maximum of <b>2</b> results are displayed, <b>15</b> to a page, sorted by <b>Relevance</b> in <b>desc</b> order.	endin
Tables of Contents	You may refine your search by editing the current search expression or entering a n	ew or
O Journals & Magazin Conference Proceeding Standards	Then click <b>Search Again</b> .	
Search	Search Again	
O- By Author O- Basic O- Advanced	Results: Journal or Magazine = JNL Conference = CNF Standard = STD	
O Join IEEE O Establish II Web Account		a to adaptive contact field 110
O- Access the IEEE Memb Digital Libr		

## [Abstract] [PDF Full-Text (632 KB)] IEEE CNF

## 2 Fiber-optic true time steering of an ultrawide-band receive array

Frankel, M.Y.; Matthews, P.J.; Esman, R.D.;

Microwave Theory and Techniques, IEEE Transactions on,

Volume: 45 Issue: 8, Aug. 1997

Page(s): 1522 -1526

[Abstract] [PDF Full-Text (120 KB)] IEEE JNL

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2003 IEEE --- All rights reserved